



Electronic inflating device for cars & truck tyres

Safety cage for inflating any tyre of cars, light commercial and industrial vehicles, having 1600 mm. max. diameter and 800 mm. max. width.

Main Features

Description

Safety cage for inflating any tyre of cars, light commercial and industrial vehicles, having 1600 mm. max. diameter and 800 mm. max. width. Equipped with electronic digital computerized inflator suitable for inflating any kind of tyre up to a max.

Features

- Pressure of 10 BAR (145 PSI) with excellent precision (0,008 BAR - 1,15 PSI);
- Service pressure required: 10-12 BAR (145-175 PSI);
- Possibility of operating at temperatures between -18°C and +55°C
- Start, stop and inflating pressure selection by means of buttons on control display;
- Motor 230V-1ph-50Hz.

Standard Features

Max. tyre diameter	1600 mm (63")
Max. tyre width	800 mm (31.5")
Operating pressure	10 bar (145 psi)
Power supply	230V - 1ph
Inflating pression	0,5 - 10 bar
Inflating precision	0,08 bar
Weight	190 Kg



CAGE (9218516)
Safety cage, without electronic inflating device.



BOOST-C (9212740)
Inflating kit for tubeless truck tyres, with 18lt. air tank



BOOST-T (9217280)
Inflating kit for tubeless truck tyres, with 50lt. air tank

Scan QR code to go to product web page



Giuliano Automotive Equipment (Suzhou) CO.,Ltd

NO 8 Jinsheng Road

SIP Suzhou (Jiangsu)

P.R.China

+86 0512 69368611

+86 0512 69367919

<https://www.giuliano.cn>

