



Semiautomatic tyre-changer with sideways moving arm

Semiautomatic tyre-changer with sideways moving arm, suitable for motorcycle wheels having rim size from 6" to 24" (max. diameter 1000 mm./39" - max wheel width 240 mm./9,5")

Main Features



Bike
Suitable for motorcycle wheels



6"-24"
Allows to operate with tyre assemblies from 6" to 24".



Jaw Clamping
Rim clamping is performed by means of 4 jaws facing each other, driven by pneumatic cylinders connected to the control pedal.



Blade Bead Breaking
Bead breaking by conventional blade, works with tyre assembly in vertical position



Description

Semiautomatic tyre-changer with sideways moving arm, suitable for motorcycle wheels having rim size from 6" to 24" (max. diameter 1000 mm./39" - max wheel width 240 mm./9,5"). Equipped with special turntable with 4 motorcycle adapted clamps.

Features

- Fixed vertical arm;
- Sideways moving horizontal arm;
- Operating arm locking by handwheel;
- Special turntable for motorcycle wheels, with adjustable position of the clamps, 23" outside clamping;
- Air operated bead breaker;
- Motor 230/400V-3ph-50Hz.

Standard Features

Rim clamping range	6" - 24"
Max. tyre diameter	1000 mm (39")
Max. tyre width	240 mm (9½")
Max. bead-breaker cylinder force	2500 kg
Operating pressure	10 bar (145 psi)
Power supply	230/400 V 3ph
Motor power	0,55 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	158 kg



S 109 Bike
Standard Accessories





S 109 Bike
Optional Accessories





Scan QR code to go to product web page



Giuliano Automotive Equipment (Suzhou) CO.,Ltd

NO 8 Jinsheng Road

SIP Suzhou (Jiangsu)

P.R.China

+86 0512 69368611

+86 0512 69367919

<https://www.giuliano.cn>

